




1. Identification		
Product identifier	Wiseair Fresh Timber	
Other means of identification Product Code		
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	West Sanitation Services, In	IC.
Address	Dba Aerowest International 2158 Beaumont Drive Baton Rouge, LA 70806 United States	
Telephone	General Assistance	225-302-5570
Emergency phone number	CHEMTREC	800-424-9300

2. Hazard(s) identification

Classification According to 29 CFR 1910.1200

····· · · · · · · · · · · · · · · · ·		
Physical hazards	Flammable liquids	Category 4
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Carcinogenicity	Category 1B
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Hazard(s) not otherwise classified (HNOC)	Not classified.	

Label elements



Storage	Store in a well-ventilated place. Keep cool. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3 ,8,8-TETRAMETHYL-2-NAPHTHAL ENYL)ETHANONE		54464-57-2	14.4
METHYL DIHYDROJASMONATE		24851-98-7	12.6
DIHYDROMYRCENOL		18479-58-8	5.8
CEDROL METHYL ETHER		19870-74-7	4
2-ISOBUTYL-4-METHYLTETRAHY DRO-2H-PYRAN-4-OL		63500-71-0	2.8
2-TERT-BUTYLCYCLOHEXYL ACETATE		88-41-5	2.4
3,7-DIMETHYL-1,6-NONADIEN-3-C L)	10339-55-6	1.8
ALPHA-METHYL-1,3-BENZODIOX OLE-5-PROPIONALDEHYDE		1205-17-0	1.4
2-ETHYL-4-(2,2,3-TRIMETHYL-3-C YCLOPENTEN-1-YL)-2-BUTEN-1- OL		28219-61-6	1.2
ACETYL CEDRENE		32388-55-9	1.2
DL-CITRONELLOL		106-22-9	1.2
LINALYL ACETATE		115-95-7	1.045
LEMON TERPENES		68917-33-9	0.899
BERGAMOT OIL FCF		68648-33-9	0.836
LINALOOL		78-70-6	0.753
ORANGE TERPENES		68647-72-3	0.585
CIS-3-HEXENYL SALICYLATE		65405-77-8	0.2
COUMARIN		91-64-5	0.2
CITRAL		5392-40-5	0.15
ALPHA-PINENE		80-56-8	0.125
GERANYL ACETATE		105-87-3	0.113
6-ACETYL-1,1,2,4,4,7-HEXAMETH YLTETRALINE		1506-02-1	0.1
ALLYL HEPTANOATE		142-19-8	0.1
CORNMINT OIL (MENTHA ARVENSIS OIL)		68917-18-0	0.1
FIR (CANADA) BALSAM		8024-15-5	0.1
GINGER OIL		8007-08-7	0.1
LAVANDIN GROSSO		8022-15-9	0.1
NUTMEG OIL		8008-45-5	0.1
OLIBANUM OIL		8016-36-2	0.1
Other components below reportable	levels		45.492

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Skin contact

Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact

Ingestion

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

General information

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Rinse mouth. Get medical attention if symptoms occur.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

o. The fighting measured	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible liquid.
6. Accidental release meas	sures
Deresnel pressutions	Keep uppercentry percented away. Keep people away from and upwind of apill/look. Eliminate all

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
ALPHA-PINENE (CAS 80-56-8)	TWA	20 ppm	
CITRAL (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor.
Biological limit values	No biological exposure limits noted for	the ingredient(s).	
Exposure guidelines			
US ACGIH Threshold Limit	Values: Skin designation		
CITRAL (CAS 5392-40-5) Can be	absorbed through the skin.	
Appropriate engineering controls	Good general ventilation (typically 10 a should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish eyewash station. Eye wash fountain an	licable, use process enclose n airborne levels below reco ned, maintain airborne levels	ures, local exhaust ventilation, ommended exposure limits. If s to an acceptable level. Provide
Individual protection measures, Eye/face protection	such as personal protective equipmen Wear safety glasses with side shields (
Skin protection			
Hand protection	Wear appropriate chemical resistant glo	oves.	
Other	Wear appropriate chemical resistant clo	othing. Use of an impervious	apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear	suitable respiratory equipme	ent.
Thermal hazards	Wear appropriate thermal protective clo	othing, when necessary.	
General hygiene considerations	Observe any medical surveillance requ personal hygiene measures, such as w drinking, and/or smoking. Routinely wa contaminants. Contaminated work cloth	ashing after handling the ma ish work clothing and protec	aterial and before eating, tive equipment to remove

9. Physical and chemical properties

Appearance

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Colorless to Pale Yellow
Odor	OZONE; FLORAL; FRESH
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	195.0 °F (90.6 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
• •	

Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Insoluble	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
Refractive index	1.46	
Specific gravity	0.942 - 0.962 @25C	
VOC (Weight %)	Not available.	

10. Stability and reactivity

Reactivity Chemical	The product is stable and non-reactive under normal conditions of use, storage and transport.
stability Possibility of	Material is stable under normal conditions.
hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

6			
Acute toxicity			
Components	Species	Test Results	
CITRAL (CAS 5392-40-5)			
<u>Acute</u>			
Dermal			
LD50	Rat	> 2000 mg/kg	
NUTMEG OIL (CAS 8008-45-5))		
<u>Acute</u>			
Oral			
LD50	Rat	2620 mg/kg	
* Estimates for product ma	y be based on additional component data not s	hown.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		

Respiratory or skin sensitizatior	ı	
ACGIH sensitization		
CITRAL, INHALABLE FRACTION AND VAPOR (CAS 5392-40-5)		Dermal sensitization
TURPENTINE AND SELI (CAS 80-56-8)	ECTED MONOTERPENES	Dermal sensitization
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin rea	action.
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Carcinogenicity	May cause cancer.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
COUMARIN (CAS 91-64-5) 3 Not classifiable as to carcinogenicity to humans.		• •
OSHA Specifically Regulated	d Substances (29 CFR 1910.1	001-1050)
Not regulated.	arom (NTD) Depart on Caroin	
Not listed.	ogram (NTP) Report on Carcin	ogens
Reproductive toxicity	This product is not expected t	o cause reproductive or developmental effects.
	Not classified.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be	harmful.
12. Ecological information	1	
Ecotoxicity	Toxic to aquatic life with long	lasting effects.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential		
Partition coefficient n-octan	nol / water (log Kow)	

Partition coefficient n-octar	nor/water (log Kow)	
ALPHA-PINENE	4.83	
COUMARIN	1.39	
LINALOOL	2.97	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s.
Transport hazard class(es)	
Class	9

Subsidiary risk Label(s) Packing group Environmental hazards	- 9 111
Marine pollutant Special precautions for user Special provisions Packaging exceptions	Yes Read safety instructions, SDS and emergency procedures before handling. 8, 146, 335, IB3, T4, TP1, TP29 155
Packaging bulk Packaging bulk	203 241
ΙΑΤΑ	
UN number	UN3082
UN proper shipping name Transport hazard class(es)	Environmentally hazardous substance, liquid, n.o.s.
Class	9
Subsidiary risk	- 111
Packing group	Yes
Environmental hazards ERG Code	9L
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	111
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Read safety instructions, SDS and emergency procedures before handling. Not established.





Marine pollutant



IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

General information

io. Rogalatory information	•	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)		
Not regulated.		
CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
ALPHA-PINENE (CAS 80	D-56-8) Listed.	
SARA 304 Emergency release notification		
Not regulated.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not regulated.		
Superfund Amendments and Re	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - Yes	
	Delayed Hazard - Yes Fire Hazard - Yes	
	Pressure Hazard - No	
	Reactivity Hazard - No	
SARA 302 Extremely hazard	dous substance	
Not listed.		
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section Not regulated.	112 Hazardous Air Pollutants (HAPs) List	
Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.	
US. California Proposition 6 Not Listed.	5	
16. Other information, incl	uding date of preparation or last revision	
Issue date	02-19-2019	
Revision date	02-19-2019	
Version #	04	
HMIS® ratings	Health: 2*	
-	Flammability: 2	

Physical hazard: 0

To the best of our knowledge, the information provided in the Safety Data Sheet is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this SDS relates only to the specific material designated herein. It is consistent with the state of general scientific and technical knowledge and should be used in accordance with professional guidelines. West Sanitation Services, Inc. assumes no legal responsibility for use or reliance upon this data. See SDS for additional information.