



## Safety Data Sheet

### 1. Identification

<b>Product identifier</b>	Wiseair Cherry Bliss
<b>Other means of identification</b>	none
<b>Recommended use</b>	Fragrance
<b>Recommended restrictions</b>	None known
<b>Manufacturer Name</b>	West Sanitation Services, Inc. Db a Aerowest International
<b>Address</b>	2158 Beaumont Dr Baton Rouge, LA 70806
<b>Telephone</b>	General Assistance 225-302-5570
<b>Emergency phone number</b>	CHEMTREC: 800-424-9300

### 2. Hazards identification

<b>Physical hazards</b>	Flammable Liquids	Category 3
<b>Health hazards</b>	Acute toxicity, oral	Category 4
	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1
	Specific target organ toxicity, single exposure	Category 3 (Respiratory tract irritation)
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
<b>OSHA defined hazards</b>	Not classified.	
<b>Label elements</b>		



**Signal word** Danger

**Hazard statement**

Flammable liquid and Vapor. Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes

serious eye damage. Suspected of damaging fertility or the unborn child.  
Harmful to aquatic life. Toxic to aquatic life with long lasting effects.

### **Precautionary statement**

#### **Prevention**

Keep away from heat/sparks/open flames/hot surfaces. No Smoking. Keep container tightly closed. Ground/bond/container and receiving equipment. Use explosion-proof electrical /ventilating /lighting equipment. Use only non-sparking tools. Take Precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves /protective clothing/eye protection /face protection. In case of inadequate ventilation wear respiratory protection.

#### **Response**

If swallowed: Rinse mouth. Do not induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse Skin with water /shower. If Inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

**Storage:** Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:** Dispose of contents / container in accordance with local, regional, national, and International regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

#### **Supplemental information**

53.08% of the mixture consists of component(s) of unknown acute oral toxicity. 73.82% of information mixture consists of component(s) of unknown acute Inhalation toxicity. 59.4% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 49.1% of the mixture consists of component(s) of unknown long term hazards to the aquatic environment.

### **3. Composition /information on ingredients**

Chemical name	CAS number	%
Benzaldehyde (O*!)	100-52-7	20.003
(R)-p-Mentha-l ,8-diene	5989-27-5	10.12

Methyl Anthranilate FCC ( )	134-20-3	7.998
Ethyl 2,3-epoxy-3-phenylbutyrate	77-83-8	7.2
.alpha.-Hexylcinnamaldehyde	101-86-0	6.6
ETHYL 2-METHYLBUTYRATE	7452-79-1	6.6
3-Methylbutyl butyrate	106-27-4	3
isopentyl acetate	123-92-2	3
4-(4-Hydroxyphenyl)butan-2-one	5471-51-2	2.8
Ionone Alpha Refined (!)	127-41-3	1.4
Orange, sweet, ext.	8028-48-6	1.38
2,6-DI-TERT-BUTYL-P-CRESOL	128-37-0	1
Ethyl Butyrate FCC K (Of!)	105-54-4	1
Tolyl Aldehyde Para- Red Technical (!)	104-87-0	1
Other components below reportable levels		26.9

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

### Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove Contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

### Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

### Most important symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Difficulty in breathing.

**Indication of immediate medical attention and special treatment needed**

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information**

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

**Suitable extinguishing media**

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical**

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

**Special protective equipment / precautions for firefighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Firefighting equipment/instructions**

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

**Specific methods**

Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards**

Flammable liquid and Vapor

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and material for containment and cleaning up:**

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS

**Environmental precautions:**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases

## **7. Handling and storage**

**Precautions for safe handling:**

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Use care in handling/storage.

**Conditions for safe storage, including any incompatibilities**

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
isopentyl acetate (CAS 123-92-2)	PEL	525 mg/m <sup>3</sup> 100 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
2,6-DI-TERT-BUTYL-P-CR ESOL (CAS 128-37-0)	TWA	2 mg/m <sup>3</sup>
isopentyl acetate (CAS 123-92-2)	STEL TWA	100 ppm 50 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2,6-DI-TERT-BUTYL-P-CR ESOL (CAS 128-37-0)	TWA	10 mg/m <sup>3</sup>
isopentyl acetate (CAS 123-92-2)	TWA	525 mg/m <sup>3</sup> 100 ppm

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
(R)-p-Mentha-l ,8-diene (CAS 5989-27-5)	TWA	165.5 mg/m <sup>3</sup> 30 ppm
Benzaldehyde (0*!) (CAS 100-52-7)	STEL TWA	17.4 mg/m <sup>3</sup> 4 ppm 8.7 mg/m <sup>3</sup> 2 ppm

### Biological limit values

No biological exposure limits noted for the ingredient(s)

### Appropriate engineering Controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust

ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection:** Wear appropriate chemical resistant gloves

**Other** Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and Chemical Properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Yellow to Yellow Green
Odor	Sweet, Fruity
Odor threshold	Not available.
pH	Non-applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	129.0 °F (53.9 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water)	Insoluble
Partition coefficient (n-octanol/water).	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information.	
Specific gravity	0.989 – 1.009 @25C
VOC (Weight %)	Not available

## 10. Stability and Reactivity

### Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport

### Chemical stability

Material is stable under normal conditions

### Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use

### Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials:** Peroxides, Phenols.

**Hazardous decomposition products:** No hazardous decomposition products are known.

## 11. Toxicological Information

### Information on likely routes of exposure

<b>Inhalation</b>	Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
<b>Skin contact</b>	Causes severe skin burns. May cause an allergic skin reaction
<b>Eye contact</b>	Causes serious eye damage.
<b>Ingestion</b>	Cause digestive tract burns. Harmful if swallowed.

### Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Difficulty in breathing.

### Information on toxicological effects

<b>Acute toxicity</b>	Harmful if inhaled. Harmful if swallowed. May cause an allergic skin reaction. May cause respiratory irritation
-----------------------	---



Components	Species	Test Results
(R)-p-Mentha-l,8-diene (CAS 5989-27-5)		
Acute		
Dermal		
LD50	Rabbit	5 g/kg
Oral		
LD50	Mouse	5600 - 6600 mg/kg
2,6-DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)		
Acute		
Oral		
LD50	Guinea pig	10700 mg/kg
	Mouse	1040 mg/kg
	Rat	890 mg/kg
Benzaldehyde (Of!) (CAS 100-52-7)		
Acute		
Dermal		
LD50	Guinea pig	> 2000 mg/kg
	Rabbit	> 1250 mg/kg
Oral		
LD50	Guinea pig	1000 mg/kg
	Rat	1300 mg/kg
Ethyl Butyrate FCC K (Of!) (CAS 105-54-4)		
Acute		
Oral		
LD50	Rabbit	5.2 g/kg
	Rat	13050 mg/kg
isopentyl acetate (CAS 123-92-2)		
Acute		
Oral		
LD50	Rabbit	7400 mg/kg
Methyl Anthranilate FCC () (CAS 134-20-3)		
Acute		
Dermal		
LD50	Rabbit	5000 mg/kg
Oral		
LD50	Guinea pig	2780 mg/kg
	Mouse	3900 mg/kg
	Rat	2910 mg/kg
Tolyl Aldehyde Para-Red Technical (!) (CAS 104-87-0)		
Acute		
Oral		
LD50	Mouse	3200 mg/kg
	Rat	1600 mg/kg

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation**  
**Serious eye damage/eye**  
**irritation**

Causes severe skin burns and eye damage.  
Causes serious eye irritation.

**Respiratory or skin sensitization****Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Skin sensitization**

May cause an allergic skin reaction.

**Germ cell mutagenicity**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity**

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

(R)-p-Mentha-1,8-diene

3 Not classifiable as to carcinogenicity to humans.

(CAS 5989-27-5)

DI-TERT-BUTYL-P-CRESOL

3 Not classifiable as to carcinogenicity to humans.

(CAS 128-37-0)

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity**

This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity single exposure**

May cause respiratory irritation.

**Specific target organ toxicity**

Not classified.

**Aspiration hazard**

Not an aspiration hazard.

**Chronic effects**

Prolonged inhalation may be harmful

**12. Ecological Information****Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Accumulation in aquatic organisms is expected

**Components****Species****Test Results****(R)-p-Mentha-1,8-diene (CAS 5989-27-5)**

Aquatic

Crustacea

EC50

Water flea (Daphnia pulex)

69.6 mg/l, 48 hrs

Fish

LC50

Fathead minnow

0.619 - 0.796 mg/l, 96 hrs

(Pimephales promelas)

**2,6- DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)**

Aquatic

Crustacea

EC50

Water flea (Daphnia pulex)

1.44 mg/l, 48 hrs

**Benzaldehyde (O\*) (CAS 100-52-7)**

Aquatic

Fish

LC50

Bluegill

0.8 -1.44 mg/l, 96 hrs

(Lepomis macrochirus)

**Methyl Anthranilate FCC () (CAS 134-20-3)**

Aquatic

Fish

LC50

Bluegill

7.98 -10.51 mg/l, 96hrs

(Lepomis macrochirus)

**Persistence and degradability**

No data is available on the degradability of this product.

<b>Bioaccumulative potential</b>	No data available
<b>Partition coefficient n-octanol / water (log Kow)</b>	
(R)-p-Mentha-1,8-diene	4.232
Benzaldehyde (O*!)	1.48
Ethyl Butyrate FCC K (Of!)	1.73
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component

### 13. Disposal considerations

#### **Disposal instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations

#### **Local disposal regulations**

Dispose in accordance with all applicable regulations.

#### **Hazardous waste code**

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

#### **Waste from residues / unused products**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

#### **Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

#### **DOT**

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not established.

## 15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### **TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Ethyl Butyrate FCC K (Of!) (CAS 105-54-4) Listed

Isopentyl acetate (CAS 123-92-2) Listed

### **SARA 304 Emergency release notification**

Not regulated.

### **OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

### **Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - Yes

Pressure Hazard - No

Reactivity Hazard - No

### **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

### **SARA 313 (TRI reporting)**

Not regulated.

### **Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

### **Safe Drinking Water Act (SDWA)**

Not regulated.

### **Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))**

Benzaldehyde (O\*!) (CAS 100-52-7) 50 %WV

Methyl Anthranilate FCC () (CAS 134-20-3) 50 %WT

### **DEA Exempt Chemical Mixtures Code Number**

Benzaldehyde (O\*!) (CAS 100-52-7) 8256

Methyl Anthranilate FCC () (CAS 134-20-3) 8530

### **US state regulations**

**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

### **US. Massachusetts RTK »Substance List**

2.6- DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)

Benzaldehyde (0\*!) (CAS 100-52-7)

Ethyl Butyrate FCC K (Of!) (CAS 105-54-4) isopentyl acetate (CAS 123-92-2)

**US. New Jersey Worker and Community Right-to-Know Act (R)-p-Mentha-1,8-diene (CAS 5989-27-5)**

2.6- DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)

Benzaldehyde (0\*!) (CAS 100-52-7)

Ethyl Butyrate FCC K (Of!) (CAS 105-54-4) isopentyl acetate (CAS 123-92-2)

**US. Pennsylvania Worker and Community Right-to-Know Law**

2.6- DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)

Benzaldehyde (0\*!) (CAS 100-52-7)

Ethyl Butyrate FCC K (Of!) (CAS 105-54-4) isopentyl acetate (CAS 123-92-2)

**US. Rhode Island RTK**

isopentyl acetate (CAS 123-92-2)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

<b>Country(s)</b>	<b>Inventory name</b>	<b>On inventory</b>	<b>(yes/no)*</b>
<b>Australia</b>	Australian Inventory of Chemical Substances (AICS)		Yes
<b>Canada</b>	Domestic Substances List (DSL)		Yes
<b>Canada</b>	Non-Domestic Substances List (NDSL)		No
<b>China</b>	Inventory of Existing Chemical Substances in China (IECSC)		Yes
<b>Europe</b>	European Inventory of Existing Commercial Chemical Substances (EINECS)		Yes
<b>Europe</b>	European List of Notified Chemical Substances (ELINCS)		No
<b>Japan</b>	Inventory of Existing and New Chemical Substances (ENCS)		No
<b>Korea</b>	Existing Chemicals List (ECL)		No
<b>New Zealand</b>	New Zealand Inventory		Yes
<b>Philippines</b>	Philippine Inventory of Chemicals and Chemical Substances (PICCS)		Yes
<b>United States &amp; Puerto Rico</b>	Toxic Substances Control Act (TSCA) Inventory		No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other Information, including date of preparation or last revision

<b>Revision date</b>	1/31/2024
<b>Version#</b>	01
<b>Disclaimer</b>	Health: 3 Flammability: 3 Physical hazard: 0 Personal protection: G

**Disclaimer:** The information contained herein is accurate to the best of our knowledge. West Sanitation Services, Inc. makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.