



SAFETY DATA SHEET

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: WISEAIR MARASCHINO PETALS

West Sanitation Services, Inc.
dba Aerowest International
2158 Beaumont Drive
Baton Rouge, LA 70806

Ph: (225) 302-5570
Emergency Phone: Chemtrec 800-424-9300

Product Use: Fragrance
Not recommended for: Ingestion

SECTION II - HAZARDS IDENTIFICATION

ED12 Serious eye damage / eye irritation 2
FL4 Flammable Liquids 4
REP2 Reproductive toxicity 2
SCI2 Skin corrosion / irritation 2
SS1 Sensitization skin 1

H227 - Combustible liquid
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H361 - Suspected of damaging fertility or the unborn child.

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P281 - Use personal protective equipment as required.
P302+P352 - IF ON SKIN: Wash with plenty of water
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362 - Take off contaminated clothing.
P363 - Wash contaminated clothing before reuse.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container to an approved waste disposal plant

Warning



SECTION III - INGREDIENT AND HAZARD INFORMATION

Material	C.A.S	EINECS	GHS Classification	Percent %
BENZYL BENZOATE	120-51-4		ATO4, EHA1, EHC2 ; H302	[34-36]
DOWANOL DPMA	88917-22-0		FL4	[20-22]
3-METHOXY-3-METHYL-1-BUTANOL	56539-66-3		ATO5, EDI2A, FL4, SCI3 ; H227, H319	[10-12]
LINALOOL	78-70-6		ATO5, EDI2, EHA3, FL4, SCI2, SS1B ; H227, H315, H317, H319	[2-4]
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE	54464-57-2		EHA2, EHC2, SCI2, SS1B ; H315, H317	[2-4]
FLOROL	63500-71-0		EDI2 ; H319	[2-4]
D-LIMONENE	5989-27-5		AH1, EHA1, EHC3, FL3, SCI2, SS1B ; H226, H304, H315, H317	[2-4]
DIETHYL MALONATE	105-53-3		EDI2A, EHA3, FL4 ; H227, H319	[0-2]
ETHYL ACETO ACETATE	141-97-9		FL3 ; H226	[0-2]
COUMARIN	91-64-5		ATO3, EHA3, SS1B ; H301, H302, H317	[0-2]
LINALYL ACETATE	115-95-7		EDI2, EHA3, FL4, SCI2, SS1B ; H227, H315+H320, H317	[0-2]
CEDRAMBER	19870-74-7		EHA1, EHC1, SS1B ; H317	[0-2]
HEXYL SALICYLATE	6259-76-3		EHA1, EHC1, SCI3, SS1B ; H317	[0-2]
MAYOL	13828-37-0		EHA2, SCI2, SS1B ; H315, H317	[0-2]
PIN-2(10)-EN	127-91-3		AH1, EHA1, EHC1, FL3, SCI2, SS1B ; H226, H304, H315, H317	[0-2]
METHYL CEDRYL KETONE	32388-55-9		ATO5, EHA1, EHC1, SS1B ; H317	[0-2]
VERATRIC ALDEHYDE	120-14-9		ATO4, EHA3, SS1B ; H302, H317	[0-2]
CYCLAMEN ALDEHYDE	103-95-7		ATO5, EHA2, EHC3, FL4, SCI2, SS1B ; H227, H315, H317	[0-2]
GAMMA-TERPINENE	99-85-4		AH1, ATO5, EHC2, FL3, REP2, SCI3 ; H226, H304, H361	[0-2]
Cis-3-Hexenyl methyl carbonate	67633-96-9		EHA2, FL4, SCI2, SS1B ; H227, H315, H317	[0-2]
ISOEUGENOL	97-54-1		ATD4, AT14, ATO4, EDI2, EHA2, SCI2, SS1A, STO-SE3-RI ; H302+H312, H302+H312+H332, H302+H332, H315, H317, H319, H335	[0-2]

SECTION IV - FIRST AID MEASURES

INHALATION

In case of excessive inhalation, remove the person to fresh air.
Obtain medical advice immediately.

EYE CONTACT

Flush immediately with water for at least 15 minutes.
If any sign of tissue damage or persistent irritation is apparent, obtain medical advice.

SKIN CONTACT

Remove contaminated clothing.
Wash affected area thoroughly with soap and water.
Get medical attention if irritation develops or persists.

INGESTION

Rinse mouth with water. Give up to ½ liter of milk or water to drink.
Do not induce vomiting.
Obtain medical advice immediately.

SECTION V - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

() Water, (X) Foam, (X) Dry Chemical, (X) Carbon Dioxide.

FIRE FIGHTING INSTRUCTIONS

Spray extinguishing media directly into base of flames.

Water is not suitable for use on burning material, but may be used to cool containers exposed to heat .

Exercise caution when fighting any chemical fire.

Treat as chemical fire, emits toxic fumes under fire condition .

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILL & LEAK PROCEDURES

Remove all sources of ignition. Provide proper ventilation.

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Dispose of in accordance with local regulations.

Wash area with soap and water.

SECTION VII - HANDLING AND STORAGE

Not meant for consumption, may be harmful if swallowed.

Avoid skin contact.

Handle in accordance with good occupational hygiene and safety practices in well ventilated areas.

STORAGE

Keep containers tight and upright to prevent leakage.

Keep containers closed when not in use.

Do Not Store Over 140°F (60°C).

Keep from freezing. If frozen when received allow to reach room temperature and mix well before using:

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: Use local exhaust ventilation meeting ACGIH design criteria.

PERSONAL PROTECTIVE EQUIPMENT

Oil or chemical resistant gloves.

Splash-resistant safety glasses.

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	NIOSH Exposure Limits
ISO-AMYL ACETATE 123-92-2	100 ppm TWA; 525 mg/m3 TWA	100 ppm STEL (listed under Pentyl acetate, all isomers) 50 ppm TWA (listed under Pentyl acetate, all isomers)	100 ppm TWA; 525 mg/m3 TWA
ETHYL ACETATE 141-78-6	400 ppm TWA; 1400 mg/m3 TWA	400 ppm TWA	400 ppm TWA; 1400 mg/m3 TWA
CITRAL 95 5392-40-5		5 ppm TWA (inhalable fraction and vapor)	

BUTYL ACETATE 123-86-4	150 ppm TWA; 710 mg/m3 TWA	200 ppm STEL 150 ppm TWA	200 ppm STEL; 950 mg/m3 STEL 150 ppm TWA; 710 mg/m3 TWA
BENZYL ACETATE 140-11-4		10 ppm TWA	
BETA-PINENE 127-91-3		20 ppm TWA (listed under Turpentine and selected monoterpenes)	
ALPHA-PINENE 80-56-8		20 ppm TWA (listed under Turpentine and selected monoterpenes)	

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear
 Color: Pale yellow
 Odor: Characteristic
 Physical State: Liquid
 Vapor Density: Not Available
 Vapor pressure : 0.403 mmHg @20°C
 VOC : 17.045118 % (CARB Method 310)

Evaporation Rate: Not Available
 Crystals (w/w%): 2.227
 Specific Gravity @25°C: 0.998 - 1.018
 Refractive Index @25°C: 1.478 - 1.498
 Flash point (°C): 80
 Flash point (°F): 176

SECTION X - STABILITY AND REACTIVITY

This product is stable in most media.

CONDITIONS TO AVOID

Avoid heat, sparks and flame.
 Avoid strong oxidizing agents.
 Avoid accidental discharge to sewers and natural waters.

Hazardous polymerization will not occur.

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity Estimate

LD50 Oral : 1887 mg/kg 45 % unknown
 LD50 Dermal : Not available
 LD50 Inhalation : Not available

Routes of Entry :

Ingestion : May be harmful if swallowed
Skin Contact: May cause skin irritation
Eye Contact: May cause eye irritation
Inhalation: May cause respiratory tract irritation
Target Organs:
None

SECTION XII - ECOLOGICAL INFORMATION


Prevent contamination of soil, ground and surface water.
No ecological studies have been carried out on this product.

SECTION XIII - DISPOSAL CONSIDERATIONS

Dispose of in accordance with State, Local and Federal Regulations.

SECTION XIV - TRANSPORT INFORMATION

Regulation	Proper Shipping Name	UN#	Hazard Class	Packing Group
DOT	Not regulated, Non Hazardous			
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (PERFUMERY PRODUCT)	3082	9	III
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (PERFUMERY PRODUCT)	3082	9	III



SECTION XV - REGULATORY INFORMATION

TSCA: We certify that all components of this product are registered or exempt under regulations of the Toxic Substances Control Act.

SARA 313: This proprietary mixture contains the following controlled chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Parts 372:

88917-22-0	DOWANOL DPMA	20 %
93-15-2	METHYL EUGENOL	0.0015 %

SECTION XVI - OTHER

INFORMATION Issue Date: 1/31/2024

The information contained herein is accurate to the best of our knowledge. West Sanitation Services, Inc. makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

Hazardous Material Information System (HMIS)

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

HMIS & NFPA Hazard Rating Legend
* = Chronic Health Hazard
0 = INSIGNIFICANT
1 = SLIGHT
2 = MODERATE
3 = HIGH