West Sanitation Services, Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION Product information

**Product Name** WISEAIR UNWINDING CASHMERE CLOUD

Relevant identified uses of the substance or mixture and uses advised against Intended Use Fragrances

: Perfume compound

Company : West Sanitation Services, Inc. dba AeroWest International

2158 Beaumont Dr. Baton Rouge, LA 70806

USA

225-302-5570

Emergency telephone - Chemtrec: 800-424-9300

Please refer to section 16 for a full list of emergency phone

numbers.

## **SECTION 2. HAZARDS IDENTIFICATION**

## Classification according to HCS 2012 (29 CFR Parts 1910, 1915, and 1926)

Skin irritation, Category 2 H315: Causes skin irritation. Eye irritation, Category 2A H319: Causes serious eye irritation. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

## Label elements

### Labelling (REGULATION 29 CFR Parts 1910, 1915, and 1926).

Hazard pictograms

Signal word Warning

Hazard statements H315 Causes skin irritation.

> May cause an allergic skin reaction. H317

H319 Causes serious eye irritation.

Precautionary statements Prevention:

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

Sales & Distribution Information: MW01/FR/US13/01

West Sanitation Services. Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

> P261 Avoid breathing mist or vapours. P264 Wash skin thoroughly after handling. Contaminated work clothing must not be P272 allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with

> water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If skin irritation or rash occurs: Get medical P333 + P313

advice/ attention.

If eye irritation persists: Get medical advice/ P337 + P313

attention.

P362 Take off contaminated clothing and wash

before reuse.

Disposal:

P501 Dispose of contents/ container to an

approved waste disposal plant.

Hazards not Otherwise

Classified.

: None

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

### Ingredients with unknown acute toxicity.:

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 0 %

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

## **Hazardous components**

Component	CAS-No.	Concentration [%]
A mixture of cis-tetrahydro-2-isobutyl-4- methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4- methylpyran-4-ol	63500-71-0	1.00 - 10.00
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra- methylnaphtalene (main isomer)	54464-57-2	1.00 - 10.00
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl	115-95-7	1.00 - 10.00

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

West Sanitation Services, Inc. dba AeroWest International

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

## WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

acetate)		
3,7-dimethyl-1,6-octadien-3-ol (= Linalool)	78-70-6	1.00 - 10.00
3-Ethoxy-4-Hydroxybenzaldehyde (= ethyl vanillin)	121-32-4	1.00 - 10.00
Mandarin orange, extract	8008-31-9	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4. FIRST AID MEASURES**

#### First aid measures

## Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Consult physician or Poison Control Center. The National Hotline for US Poison Control Centers is 1.800.222.1222;

https://www.poison.org

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Immediately seek medical attention if chemical entered ear

canal.

If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Protect unharmed eye.

Remove contact lenses.

Immediately flush eye(s) with plenty of water.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Immediately consult Poison Control Center or physician.

Keep respiratory tract clear. Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

# Most important symptoms and effects, both acute and delayed

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

Sales & Distribution Information: MW01/FR/US13/01

West Sanitation Services. Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

### Extinguishing media

: Use water spray, alcohol-resistant foam, dry chemical or Suitable extinguishing media

carbon dioxide.

Unsuitable extinguishing : High volume water jet

media

## Special hazards arising from the substance or mixture

Specific hazards during : Do not allow run-off from fire fighting to enter drains or water

firefighting courses.

Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if

for firefighters necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Keep people away from and upwind of spill/leak.

For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Material can create slippery conditions.

Use personal protective equipment.

#### Environmental precautions

Prevent product from entering drains.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

Sales & Distribution Information: MW01/FR/US13/01

West Sanitation Services. Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

If the product contaminates rivers and lakes or drains inform respective authorities.

## Methods and materials for containment and cleaning up

Clean contaminated floors and objects thoroughly while observing environmental regulations. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma. allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

### Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on storage conditions

: Ambient / 10-30℃ (50-85℃)

Dry, well ventilated, preferably full, hermetically sealed

Advice on common storage

: Protect against light.

Other data

: No decomposition if stored and applied as directed.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

West Sanitation Services. Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Exposure limit(s): None established

### **Exposure controls**

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the prod-uct's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

### **Engineering measures**

Use engineering controls to maintain airborne levels below exposure limit requirements or quidelines. If there are no applicable exposure limit requirements or quidelines, use the product only with adequate ventilation.

#### Personal protective equipment

Eye/face protection Use safety goggles and faceshield tested according to EN

166/ ANSI Z87.1 or equivalent local standard.

Hand protection Use gloves when handling substance in open systems.

Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3

of this SDS. Change gloves frequently.

If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS.

Permeation time must exceed contact time.

Other skin protection : Wear working clothes covering arms and legs.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

West Sanitation Services. Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.

Respiratory protection

: Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

In case a risk analysis proved the cartridge respirator as

acceptable, use type:

ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a

backup to engineering controls.

In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or

NIOSH 42 CFR 84(US).

Thermal hazards : Wear appropriate thermal protective clothing, when

necessarv.

Hygiene measures : Remove contaminated clothing and protective equipment

before entering eating areas.

Do not eat, drink or smoke during work.

Wash hands any time after handling the product.

#### **Environmental exposure controls**

General advice Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid Form : liquid

: Very slightly yellow to Pale yellow Color

Taste : not determined

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28 Sales & Distribution Information: MW01/FR/US13/01

West Sanitation Services. Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

## WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

Odor : Floral, fruity, Vanilla-like

Odour Threshold : Not applicable

: > 212 F (> 100 ℃) Method: Eraflash S10 Flash point

Lower explosion limit : not determined Upper explosion limit : not determined Flammability : Not applicable Auto-ignition temperature : not determined Decomposition temperature : no data available

pΗ : not determined Melting point : no data available Boiling point : no data available Vapor pressure : 0.0293 hPa at

68 F (20 C) Calculated (99.8 %)

: 912.35 kg/m3 at Density 68 F (20 ℃)

: Not applicable Bulk density

Solubility/qualitative Partition coefficient: n-: practically insoluble : Not applicable

octanol/water

Viscosity, kinematic : no data available Relative vapour density : no data available Evaporation rate : no data available

## **SECTION 10. STABILITY AND REACTIVITY**

#### Reactivity

No decomposition if stored and applied as directed.

## **Chemical stability**

No decomposition if stored and applied as directed.

#### Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid

Conditions to avoid : no data available

Incompatible materials

Materials to avoid : no data available

#### Hazardous decomposition products

Hazardous decomposition : no data available

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

West Sanitation Services, Inc.

Species: Rat

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

## WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

products

Thermal decomposition : no data available

### **SECTION 11. TOXICOLOGICAL INFORMATION**

# Information on toxicological effects

Acute oral toxicity

ATE : > 5,000 mg/kg

A mixture of cis-tetrahydro-2-: LD50: > 5,000 mg/kg

isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-

methylpyran-4-ol

2-acetyl-1,2,3,4,5,6,7,8-: LD50: > 5,000 mg/kg Species: Rat

octahydro-2,3,8,8-tetramethylnaphtalene (main

isomer)

3,7-dimethyl-1,6-octadien-3-: LD50: 13,934 mg/kg Species: Rat

yl acetate (= linalyl acetate)

3,7-dimethyl-1,6-octadien-3-: LD50: 2,790 mg/kg Species: Rat

ol (= Linalool)

Mandarin orange, extract : LD50: > 5,000 mg/kgSpecies: Rat

Acute inhalation toxicity : No data is available on the product itself.

**Acute dermal toxicity** : No data is available on the product itself.

**Acute toxicity (other routes**: No data is available on the product itself.

of administration)

Skin corrosion/irritation : May cause skin irritation and/or dermatitis.

Serious eye damage/eye

irritation

: Vapours may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin sensitisation

: Causes sensitisation.

Mutagenicity : No data is available on the product itself.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

Sales & Distribution Information: MW01/FR/US13/01

West Sanitation Services. Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

**Teratogenicity** : No data is available on the product itself.

#### Reproductive toxicity

Not classified based on available information.

## **Carcinogenicity:**

**IARC** No component of this product present at levels greater Remarks

than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater Remarks

than or equal to 0.1% is on OSHA's list of regulated

carcinogens.

**NTP** No component of this product present at levels greater Remarks

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

STOT - single exposure : No data is available on the product itself.

STOT - repeated exposure : No data is available on the product itself.

**Aspiration hazard** : No data is available on the product itself.

**Further information** : no data available

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

## SECTION 12. Ecological information

Ecological information is not reported.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product** : Dispose of in accordance with local, state and federal

regulations.

The product should not be allowed to enter drains, water

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

Sales & Distribution Information: MW01/FR/US13/01

West Sanitation Services, Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Do not expose containers to high temperatures such as in hot

work processes.

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Dispose of in accordance with local regulations.

### SECTION 14. TRANSPORT INFORMATION

#### 14.1 UN number

N/A

## 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

N/A

### 14.4 Packing group

N/A

#### 14.5 Environmental hazards

N/A

## 14.6 Special precautions for user

**IMDG** 

IMDG Code Segregation : None

Group

## 14.7 Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

Sales & Distribution Information: MW01/FR/US13/01

West Sanitation Services, Inc.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

# WISEAIR UNWINDING CASHMERE CLOUD

Version 1.3 Revision Date 23 FEB 2024 Print Date 11 MAR 2024

#### SECTION 15. REGULATORY INFORMATION

Only relevant information is reported

SARA 311/312 Hazards. : Respiratory or skin sensitization


Skin corrosion or irritation

Serious eye damage or eye irritation

## **SECTION 16. OTHER INFORMATION**

## **Further information**

## NFPA 704:



Special hazard

## Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
Europe	All Europe	+44 1235 239670	APAC	All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
	Germany	+49 89 220 61012		Taiwan	+886 2 8793 3212
	Spain	+34 91 114 2520		Japan	0120 015 230
	Italy	800 699 792		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347
	Turkey	0800 621 2139 +44 1235 239670		Thailand	001 800 120 666 751

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28

Sales & Distribution Information: MW01/FR/US13/01

Version 1.3

West Sanitation Services, Inc.

Print Date 11 MAR 2024

+57 1 508 7337

+54 11 5984 3690

In accordance with the requirements of US 29 CFR Parts 1910, 1915, dba AeroWest International and 1926.

Revision Date 23 FEB 2024

## WISEAIR UNWINDING CASHMERE CLOUD

			• _ •	· · · · · · · · · · · · · · · · · · ·	
	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182	=	Pakistan	+65 3158 1329
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200
	Denmark	+45 8988 2286		Philippines	+63 2 8231 2149
	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388
	Poland	+48 22 307 3690	=	Korea	+65 3158 1285
	Czech replublic	+420 228 882 830		South Korea	+82 2 3479 8401
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
Middle East/Africa	All Middle East/Africa	+44 1235 239671		New Zealand	+64 9 929 1483
	Bahrain and Middle East	+44 1235 239671		China	+86 532 8388 9090
	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763
	USA and Canada	+1 866 928 0789		Brazil	+55 11 3197 5891
NOAM	USA and	+1 215 207 0061	LATAM	Chile	+56 2 2582 9336

Colombia

Argentina

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

+1 202 464 2554

+44 1865 407333

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by West Sanitation Services, Inc. dba AeroWest International.

Version: 13

Revision Date: 23 FEB 2024 Print Date: 11 MAR 2024

Canada USA and

Canada

Global

Global

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/28